

SURFACES

TEXTURES


ARCHITECTURE

**CONTEMPORARY
MIXTURES
SURFACES**
&
**SIGNATURE
SURFACES**

Stone Project

Lusitan & Catalan Limestone Ceramics

CONCEPT TILES



Life is For Living


Concept Tiles are guided by the desire of creating versatile ceramic solutions for interior design and architecture. Claddings - on floors, walls, countertops, steps... - are the skin of our homes, and we believe that it is necessary to take care and pay attention to them. We feel a true passion for good design. We are committed to a material such as ceramics that makes it easier to obtain original and practical resources. Our ultimate objective is customer satisfaction, and we focus the professionalism and thoroughness of our work on this point. We strive in creating products that respond to today's requirements, that are adapted to the users needs, and are in line with the new trends. We are committed to avant-garde design. By combining creativity with the infinite possibilities of ceramics we have created Living, a brand that is capable of facing current challenges.



Sustainable Tiles

At Concept Tiles we insist our manufacturers work under the criteria of respect for the environment, safety and health at work. This philosophy has led us to be part of the Green Building Council, a non-profit association formed by companies that work to make our environments sustainable and responsible. We ensure safety in the workplace by training our personnel in safety and environmental aspects. Concepts such as energy sustainability are important for the company, and this is demonstrated by the external audits that guarantee our quality seals. All our containers and packaging are recyclable. Even the catalog that you have in your hands, has been designed using FSC papers that support a controlled repopulation of one of our greatest legacies, the forests.

GREEN BUILDING MEMBER / MIEMBRO DEL GREEN BUILDING COUNCIL
CERTIFIED COMPANY ISO 9001 / EMPRESA CERTIFICADA ISO 9001
USE OF CERTIFICATE FSC PAPER / USO DE PAPEL CON CERTIFICADO FSC



The Smart Factory

We understand that our parts must be unique and irreplaceable, which is why we have invested in the most advanced systems of production that exist in the market, never before present in the sector.

Looking to the future, we wanted to design a smart material, a product without limitations or restrictions for the most demanding architecture, capable of adapting to the most special projects. The special format of these pieces, up to 120x270cm, allows covering the space from floor to ceiling with a single piece, creating an infinity effect to the eye.

High Performance Tiles

The full body porcelain tile delivers certain advantages vs other collections, without losing all benefits the glaze porcelain offers, its main feature resides in its inside. The raw material that shapes the tile become uniform without any superficial decoration that delivers the same aesthetic throughout the tile, this particularity make it the best fit for all those spaces that demand the most hard wearing materials.



Ductile®



A Ductile® Piece

Discover The Wall Slab Evolution

LIGHTER
SWIFTER
EASIER & ECO-
FRIENDLIER

The Ductile® collection by Concept Tiles stands out for its versatility and simple tile-laying process. A new ceramic material with special characteristics, Ductile® can be used to dress up indoor walls in much swifter, more effortless style. Thanks to the tiles' new chemical formula, they can easily be precision cut or drilled. Standard drill bits and cutting discs and less complex tile adhesives can be used with Ductile®, cutting tile-laying costs and saving on time.

These new 6mm-thick tiles combine all the beauty of *Concept Tiles* collections with new properties guaranteed to simplify the tile-laying process in both new-build and refurbishment projects.



SME INNOVATIVE / PYME INNOVADORA

The Spanish Ministry for Science, Innovation & Universities rewards efforts in the fields of R&D and innovation.

El Ministerio de Ciencia, Innovación y Universidades reconoce la inversión en investigación y Desarrollo de productos diferenciadores en la industria cerámica actual.

Stone Project

Lusitan & Catalan Limestone Ceramics

Taking its name from the Portuguese and Catalan limestones, **Stone Project** is a minimalist and refined collection, included in Contemporary Mixtures Surfaces. It shows several finishes; with a semi-matte and even polishing; and mattes and subtle glosses in the grains and fossils spots. A unique quality through a careful selection of surfaces launched in timeless stony colors with reduced shade variation.

It is capable of creating sophisticated settings with large format pieces, in which its design quality goes hand in hand with the highest performance. Mechanical properties and durability of natural limestone, suitable for its use as floor covering, are enhanced.



Stone Project Light Grey
90x90 (36"x36") Composition



Stone Project Chromatic Range



Stone Project Light
120x270 (48"x106")



Stone Project Light & Light
Mosaic 55 90x270 (36"x106")

Lightwood Cognac
20x120 (8"x48")



Stone Project Light Grey
Furniture Detail)



Stone Project Light Grey
120x260 (48"x102")

Stone Project White
90x270 (36"x106")



Stone project Biscuit

90x90 (36"x36")



Stone Project Biscuit

90x90 (36"x36")



Stone Project Light Grey Greige B.H.

90x90 (36"x36")



Stone Project Light Grey

90x90 (36"x36")



Stone Project Dark Grey AS 90x90
(36"x36")



Natural Finish Bush Hammered F. Anti-slip Finish


Color Body Porcelain & Ductile® / Porcelánico Masa Coloreada y Ductile®
Rectified / Destonified V.2 / Rectificado / Destonificado V.2
Nº Designs By Format / Nº De Diseños Por Formato :
120x270: 7 / D-90x270: 7 / D-60x120: 14 / 120x120: 14 / 60x120: 14 / 90x90: 16 / 45x90: 32
60x60: 28 / 30x60: 56 / 10x60: 168 / 5x60: 336

Natural Finish
Graphic Scale 1/4


Available Colours / Colores Disponibles




Light




Light Grey



Biscuit



Dark Grey




Black

Stone Project

Lusitan & Catalan Limestone Ceramics
Caliza Lusitana & Catalana Cerámica

Available Sizes / Formatos Disponibles



Complements / Complementos



Mosaic 25
Net 12"x12"
Malla 30x30 cm.
Real 29,8x29,8 cm.



Mosaic 55
Net 12"x12"
Malla 30x30 cm.
Real 29,8x29,8 cm.



Mosaic 315
Net 12"x12"
Malla 30x30 cm.
Real 29,8x29,4 cm.



Mureto Mosaic
Net 12"x18"
Malla 30x45 cm.
Real 29,8x29,8 cm.

Ductile® Wall Tiles Available Sizes & Finishes / Formatos y Acabados Disponibles en Revestimientos Ductile®

Nominal Size Formato Nominal	Real Size Formato Real	Natural Natural	Price Code Código Precio	Pz/Box	M2/Box	Kg/Box	Box/Pa	M2/Pa	Kg/Pa
Ductile® 60x120 cm. 24"x48"	59,8x119,8x0,6 cm.	●	620	3	2,16	25,80	24	51,84	649
Ductile® 90x270 cm. 36"x106"	89,8x269,8x0,6 cm.	●	970	1	2,42	29,04	24	58,08	801

Porcelain Tiles Available Sizes & Finishes / Formatos y Acabados Disponibles en Porcelánico

Nominal Size Formato Nominal	Real Size Formato Real	Natural Natural C1 · R9 · CA	B. Hammered Abujardado C2 · R10 · CB	Anti-Slip Antideslizante C3 · R11 · CC	Price Code Código Precio	Pz/Box	M2/Box	Kg/Box	Box/Pa	M2/Pa	Kg/Pa
5x60 cm. 2"x24"	4,8x59,8x0,9 cm.	●	●	●	5	20	0,57	13,20	60	34,44	832
10x60 cm. 4"x24"	9,8x59,8x0,9 cm.	●	●	●	10	10	0,59	13,30	60	35,40	838
30x60 cm. 12"x24"	29,8x59,8x0,9 cm.	●	●	●	30	6	1,07	22,00	48	51,36	1094
60x60 cm. 24"x24"	59,8x59,8x0,9 cm.	●	●	●	60	3	1,07	23,22	40	42,91	962
45x90 cm. 18"x36"	44,8x89,8x0,9 cm.	●	●	●	45	3	1,21	25,50	32	38,62	849
90x90 cm. 36"x36"	89,8x89,8x0,9 cm.	●	●	●	90	2	1,61	34,00	24	38,71	846
*90x90x2 cm. 36"x36"	89,8x89,8x2 cm.			●	94	1	0,81	37,09	24	19,35	946
60x120 cm. 24"x48"	59,8x119,8x0,9 cm.	●	●	●	62	2	1,43	30,32	24	34,32	767
120x120 cm. 48"x48"	119,8x119,8x0,9 cm.	●	●	●	120	1	1,44	30,50	40	57,41	1265
*120x120x2 cm. 48"x48"	119,8x119,8x2 cm.			●	121	1	1,44	66,02	16	22,96	1140
120x270 cm. 48"x106"	119,8x269,8x0,6 cm.	●			276	1	3,23	45,50	24	77,52	1250
Mosaic 25	29,8x29,8x0,9 cm.	●	●	●	25	5	0,44	9,00	60	26,40	576
Mosaic 55	29,8x29,8x0,9 cm.	●	●	●	55	5	0,44	9,00	60	26,40	576
Mosaic 315	29,8x29,4x0,9 cm.	●	●	●	315	5	0,44	9,00	60	26,40	576
Mureto Mosaic	29,8x29,8x0,9 cm.	●	●	●	300	5	0,44	9,00	40	17,60	395

*Check Available Colours
*Consultar Colores Disponibles


9&20MM THICKNESS

STANDARD STEP TILES

Standard Step Tiles Specifications

Especificaciones De Peldaños Estándar

COLOR BODY PORCELAIN / PORCELÁNICO MASA COLOREADA
RECTIFIED / REINFORCEMENT SIDES / RECTIFICADO / REFUERZO DE CANTOS



Skirting / Rodapié

Step Peldaño

External Corner Step Peldaño Angular Exterior

Internal Corner Step Peldaño Angular Interior

Porcelain Tiles Available Sizes & Finishes

Formatos y Acabados Disponibles en Porcelánico

Nominal Size Formato Nominal	Real Size Formato Real	Nat/SBH Finish Acabado Natural Abujardado Suave	Anti-Slip Antideslizante	Price Code Código Precio	Pz/Box	ML/Box	Kg/Box	Box/Pa	M2/Pa	Kg/Pa
Skirting / Rodapié 5x60 cm.	4,8x59,8x0,9 cm.	●		561	5	2,99	3,00	120	-	-
Skirting / Rodapié 5x90 cm.	4,8x89,8x0,9 cm.	●		591	5	4,49	5,50	70	-	-
Skirting / Rodapié 5x120 cm.	4,8x119,8x0,9 cm.	●		521	5	5,99	7,00	70	-	-
Step Tile / Peldaño 33,3x60 cm.	33,3x59,8	●	●	360	2	1,20	-	-	-	-
Step Tile / Peldaño 33,3x90 cm.	33,3x89,8	●	●	390	2	1,80	-	-	-	-
Step Tile / Peldaño 33,3x120 cm.	33,3x119,8	●	●	792	2	2,40	-	-	-	-
External Corner Step Tile / P.Ang. Ext. 33,3x60 cm.	33,3x59,8	●	●	361	1	0,60	-	-	-	-
ExternalCorner Step Tile / P.Ang. Ext. 33,3x90 cm.	33,3x89,8	●	●	391	1	0,90	-	-	-	-
External Corner Step Tile / P.Ang. Ext. 33,3x120 cm.	33,3x119,8	●	●	822	1	1,20	-	-	-	-

20MM Step Tile & Countertops Availables. Check for Packaging.
Peldaños y Encimeras disponibles en 20MM. Consulte el Embalaje.

Other Special Pieces

Otras Piezas Especiales


Our solutions include customized steps from our mass colored porcelain lines. It is a product capable of adjusting to any type of stairs: catalan stair, floating stairs, turning floating stairs.The measurements and data are recorded in a simple form, collecting the necessary information for cutting the steps.

Nuestras soluciones incluyen peldaños a medida de nuestras colecciones de porcelánico de masa coloreada. Un producto a medida capaz de adecuarse a cualquier tipo de escalera: escalera catalana, escalera colgada, de ojo colgada... Los datos y medidas se anotan en un sencillo formulario que recoge toda la información necesaria para el corte de los peldaños.

Tailored Step Tiles Specifications. OTHER FINISHES

Especificaciones De Peldaños A Medida. OTROS ACABADOS

COLOR BODY PORCELAIN / PORCELÁNICO MASA COLOREADA
RECTIFIED / REINFORCEMENT SIDES / RECTIFICADO / REFUERZO DE CANTOS



Step Gradone Border Peldaño Borde Inglete

Ext. Corner Step Gradone Border Peldaño Angular Exterior Borde Inglete

Step Demi Bullnose Border Peldaño Borde Medio Romo

External Corner Step Gradone Border Peldaño Angular Ext. Borde Medio Romo

Step Tiles Example

Ejemplo De Peldaños



Order Plan Sheet On The Web

Hoja De Pedido En La Web



Concept Tiles

HOJA DE PEDIDO: PELDAÑOS

ORDER FORM PLAN: STEP TILES

CODIGO:

CLIENTE:

FECHA:

MODELO / COLOR

MODEL / COLOR

Nº DE UNIDADES

NUMBER OF UNITS

TIPO DE PELDAÑO

MARK THE BOX FOR THE CHOSEN TYPE OF STEP TILE

☐ A

☐ B

☐ C

DISEÑO DE PELDAÑO

DESIGN OF STEP TILE

RELLENAR LOS CAMPOS CORRESPONDIENTES A LAS DIMENSIONES / MARCAR LAS CASILLAS DE LOS LADOS A TRATAR

FILL THE FIELDS FOR THE DIMENSIONS / MARK THE BOXES OF THE SIDES TO BE TREATED

DIMENSIONES

DIMENSIONS

A = CM

B = CM

h = CM

LATERALES A TRATAR

EDGES TREATMENT

☐ 1

☐ 2

☐ 3

OBSERVACIONES

OBSERVATIONS

ANOTAR EN OBSERVACIONES LOS PEDIDOS ESPECIALES / BARRURADOS

THE SPECIAL ORDERS / CORP STRIPPES SHOULD BE RECORDED BELOW

T: +34 964 914 181 / F: +34 964 914 250 WWW.LIVINGCERAMICS.COM - COMERCIAL@LIVINGCERAMICS.COM

20MM Pool Grid Example
Ejemplo Rejillas 20MM




POOL SPECIAL PIECES

Special Pieces / Pool Grids
Piezas Especiales / Rejillas de Piscina


Extra-thick porcelain tiles offer numerous benefits, thanks to their versatility and high resistance. These are properties fully able to meet the tough technical demands and aesthetic requirements of outdoor spaces, public areas, and places subject to high loads or stresses. The tiles can be used in false floor systems, creating raised access flooring that provides easy access to plumbing and electricity networks. They are swift and easy to lay, and the perfect choice for outdoor areas.

20MM Standard Pieces for Pools
Piezas Estándar para Piscinas en 20MM


COLOR BODY PORCELAIN / PORCELÁNICO MASA COLOREADA
RECTIFIED / REINFORCEMENT SIDES / RECTIFICADO / REFUERZO DE CANTOS



Step
Peldaño
298x898x50 mm.
298x1198x50 mm.




External Corner Step
Peldaño Angular Exterior
898x898x50 mm.
1198x1198x50 mm.



Internal Corner Step
Peldaño Angular Interior
898x898x50 mm.
1198x1198x50 mm.




Tailored Step Tiles Specifications. OTHER POOL FINISHES
Especificaciones De Peldaños A Medida. OTROS ACABADOS PARA PISCINAS



Pool Grid Type A
Rejilla Piscina Tipo A

298x898x20 mm.
298x1198x20 mm.



Pool Grid Type B
Rejilla Piscina Tipo B

198x898x20 mm.
198x1198x20 mm.

BATHROOM FURNITURE SERIES

Special Pieces / Tailored Countertops
Piezas Especiales / Encimeras A Medida

The versatility of our mass colored porcelain pieces allows us to manufacture countertops for bathrooms increasing the decorative options of our lines. The format is customized according to the needs of each client. The measurements and data are recorded in a simple collecting the necessary information for the production of the countertop.

Countertop Specifications
Especificaciones De Encimeras

COLOR BODY PORCELAIN / PORCELÁNICO MASA COLOREADA
RECTIFIED / REINFORCEMENT FIBERGLASS POLYESTER RESIN
RECTIFICADO / REFUERZO DE FIBRA DE VIDRIO CON RESINA POLIÉSTER

BATHROOM COUNTERTOPS
ENCIMERAS DE BAÑO

Order Plan Sheet On The Web
Hoja De Pedido En La Web

Basins
Lavabos



FURNITURE SERIES & BASINS
MUEBLES DE BAÑO Y LAVABOS

Order Plan Sheet On The Web
Hoja De Pedido En La Web



Concept Tiles

CÓDIGO:
CODE

CLIENTE:
CUSTOMER

FECHA:
DATE

HOJA DE PEDIDO: ENCIMERAS
ORDER FORM PLAIN: COUNTERTOPS

1

MODELO / COLOR
MODEL / COLOR

2

Nº DE UNIDADES
NUMBER OF UNITS

3

DISEÑO DE ENCIMERA
COUNTERTOP DESIGN

4

ESTRUCTURA DE APOYO
COUNTERTOP STRUCTURE

5

MATERIAL EN STOCK
MATERIAL IN STOCK

6

AGUJEROS DE DESAGÜE
SINK HOLES DESIGN

7

AGUJEROS GRIFERÍA
TAP HOLES DESIGN

8

LATERALES A TRATAR
EDGES TREATMENT

9

COMPLEMENTOS POR FÁBRICA
TO BE FILLED BY FACTORY

OBSERVACIONES
OBSERVATIONS

ANOTAR EN OBSERVACIONES LOS PEDIDOS ESPECIALES
THE SPECIAL ORDERS SHOULD BE RECORDED BELOW

ENCIMERA
COUNTERTOP

ESPEJOR
MIRROR

1 =
2 =
3 =

1 =
2 =
3 =

Ø (cm) =

Ø (cm) =

Si
Yes

No
No

Si
Yes

No
No

Cantidad
Quantity

Tono
Tone

Formato
Format

Fecha
Date

+15 días hábiles
+15 working days

T: +34 964 914 181 / F: +34 964 914 230 WWW.LIVINGCERAMICS.COM - COMERCIAL@LIVINGCERAMICS.COM

Concept Tiles

CÓDIGO:
CODE

CLIENTE:
CUSTOMER

FECHA:
DATE

HOJA DE PEDIDO: BAÑO
ORDER FORM PLAIN: BATHROOM

1

FURNITURE / MUEBLES

2

ACABADO CERÁMICA
CERAMIC FINISH

3

FINISHED / ACABADO

4

AGUJEROS DE DESAGÜE
SINK HOLES DESIGN

5

AGUJEROS GRIFERÍA
TAP HOLES DESIGN

6

LATERALES A TRATAR
EDGES TREATMENT

7

COMPLEMENTOS POR FÁBRICA
TO BE FILLED BY FACTORY

OBSERVACIONES
OBSERVATIONS

ANOTAR EN OBSERVACIONES LOS PEDIDOS ESPECIALES
THE SPECIAL ORDERS SHOULD BE RECORDED BELOW

ENCIMERA
COUNTERTOP

ESPEJOR
MIRROR

1 =
2 =
3 =

1 =
2 =
3 =

Ø (cm) =

Ø (cm) =

Si
Yes

No
No

Si
Yes

No
No

Cantidad
Quantity

Tono
Tone

Formato
Format

Fecha
Date

+15 días hábiles
+15 working days

T: +34 964 914 181 / F: +34 964 914 230 WWW.LIVINGCERAMICS.COM - COMERCIAL@LIVINGCERAMICS.COM

Concept Tiles recommends you check how to install tiles correctly. It is essential, before any installation, to carefully read the **UNE 138002 and UNE 12004** standard, and to attend to the specified instructions in order to achieve a correct placement of the tile. We indicate a summary of the most important points to take into account below:

- 1

CONFORMITY OF TONE AND CALIBER OF THE MATERIAL.
- 2

MAKE SURE THAT THE AREA TO CLAD IS CLEAN AND DRY. .
- 3

CEMENT-BASED ADHESIVE SHOULD BE USED FOR EACH TYPE OF PRODUCT; PORCELAIN COLOR BODY OR WHITE BODY.
- 4

THE AREA TO CLAD MUST BE UNIFORMLY LEVELED. THE USE OF LEVELING SYSTEMS IS MANDATORY FOR A PERFECT INSTALLATION.
- 5

A 2 MM MINIMUM JOINT IS RECOMMENDED TO PLACE THE PIECES CORRECTLY.
- 6

THE RECTANGULAR FORMATS CANNOT BE PLACED UNITED TO ANY MORE THAN 1/4 OF THE PIECE. .

THE SLAB INSTALLATION REQUIRES THE USE OF TOOLS AND SPECIFIC TRAINING BY THE INSTALLER. IN ADDITION TO THE ABOVE, THESE ARE SOME OF THE RECOMMENDATIONS TO TAKE INTO ACCOUNT IN THE INSTALLATION OF LARGE TILE FORMATS:

R



CUTTING DETAIL WITH GUIDE ON SLAB



THE TILES´ DUCTILE PROPERTIES MAKE THEM EASY TO CUT

- 7

THE DOUBLE BONDING TECHNIQUE MUST ALWAYS BE USED.

THE DOUBLE BONDING TECHNIQUE MUST ALWAYS BE USED..

- 8

THIS MATERIAL REQUIRES THE USE OF C2 CLASS ADHESIVES (BICOMPONENT TYPE S2).
ES RECOMENDABLE EL USO DE ADHESIVOS CLASE C2 ALTAMENTE FLEXIBLES (BICOMPONENTES TIPO S2).
- 9

THE APPEARANCE OF AIR POCKETS BETWEEN TILE AND SUBSTRATE SHOULD BE AVOIDED BY THE SYSTEMATIC KNOCKING OF THE TILE WITH A RUBBER TROWEL. THIS WILL AVOID TENSIONS AND BREAKS AFTER THE MATERIAL HAS BEEN SET.
- 10

THE USE OF SPECIFIC TOOLS FOR INSTALLING CERAMIC TILES IS MANDATORY. CONSULT YOUR TRUSTED SUPPLIER TO RECEIVE INSTRUCTIONS ON THE CORRECT HANDLING OF THESE TOOLS AND THEIR NEEDS.



BIG SLAB INSTALLATION
INSTALACIÓN DEL GRAN FORMATO

Once placed and grout cleaning equipment is mandatory. Improper cleaning may leave traces of products used in the placement or the protection of the tiles, as cements, resins epoxilicas, grout, waxes or fats. For optimal cleaning after placement for cases of intense and stubborn dirt accumulated over time, and for maintenance, required to use the right products. The following table shows some of the recommendations.

FILACLEANNER	MAINTENANCE IN GENERAL. MANTENIMIENTO EN GENERAL.
FILACR10	WASTE EPOXY, VITRIFIED OR RESIN BOARD. RESIDUOS DE JUNTA EPOXI, JUNTA VITRIFICADA O JUNTA RESINOSA.
DETERDEK	WASTE CONCRETE PLACEMENT, LIMESCALE, METALS STRIPES, OXIDE DEPOSITS. RESIDUOS DE CEMENTO DE COLOCACIÓN, RESIDUOS CALCÁREOS, RAYAS METALES, DEPOSITOS DE ÓXIDO.
FILASOLV	CANDLE WAX, TREE RESINS, TAPE RESIDUE, TAR RESIDUE. CERA DE VELAS, RESINA DE ÁRBOL, RESIDUOS DE CINTA ADHESIVA, RESIDUOS ALQUITRÁN.
FILANOPAINT STAR	PAINTED GRAFFITI, SPRAY ACRYLIC, ALKYD AND SYNTHETIC NITROS. PINTADAS DE GRAFITIS, SPRAY ACRÍLICOS, ALQUÍDICOS Y NITROS SINTÉTICOS.
FILAPS87	DRINKS, FOOD, FATS, OILS, RUBBER, DYES, MARKER, ACRYLIC PAINT DROPS. BEBIDAS, COMIDAS, GRASAS, ACEITES, GOMA, TINTES, ROTULADOR, GOTAS DE PINTURA PLÁSTICA.

CONTEMPORARY
MIXTURES
SURFACES
&
SIGNATURE
SURFACES

2022 EDITION I / 2022 EDICIÓN I

CONCEPT TILES



INNOVATIVE SME



SME INNOVATIVE / PYME INNOVADORA

The Spanish Ministry for Science, Innovation & Universities rewards efforts in the fields of R&D and innovation. This mention is the outcome of the incorporation of state-of-the-art technology to our production plant in order to produce large-format tiles conspicuous for their unique finishes.

El Ministerio de Ciencia, Innovación y Universidades reconoce la inversión en investigación y Desarrollo de productos diferenciadores en la industria cerámica actual. Se trata de un reconocimiento estatal que verifica la inversión realizada por la empresa en su proceso de producción y búsqueda continua. Galardona así la innovación y el esfuerzo realizado por Livingceramics a la hora de invertir en I+D+i.

Thank you for joining us in our journey. Every detail shows the way we feel design and architecture. If you can feel it in the same way too, our work has been completed.

Gracias por acompañarnos. Cada detalle define nuestra forma de sentir el diseño y la arquitectura. Si tú también lo has sentido, una parte de nuestro trabajo está ya hecho.

CONCEPT TILES